

# INDIFRAME

India's Fastest Growing  
Windows and Doors Brand



# CONTENTS

- 1 **About Us**
- 2 **Our Vision & Mission**
- 3 **The IndiFrame Advantage**
- 4 **Manufacturing & Centre of Excellence**
- 5 **IndiFrame Premier Product Lines**
  - Variety & Design Options
  - 60 Series Casement System
  - Monorail (Fixed + Sliding) System
  - 62/90/112 Series Sliding System
  - 80/99 Series Sliding System
  - Slide & Fold System
  - Tilt & Turn System
  - Auxiliary Profiles
  - Options & Add-Ons
- 6 **Features & Benefits**
- 7 **Awards & Media Mentions**
- 8 **Quality Assurance**
- 9 **Clientele**
- 10 **Locations**



## ABOUT US

IndiFrame is one of India's steadily growing window and door system brands, built on a foundation of engineering discipline and dependable service. Our tech-enabled processes and capable design and installation teams help us deliver consistency in a category known for uncertainty.

Made in India. Made for India.

Our systems are shaped by over 25 years of global experience, bringing together material understanding, precision standards, and long-term performance.

What sets us apart is our focus on doing things right and a commitment to solutions that last. This approach guides our journey as we work to make windows and doors more reliable, accessible, and built for real Indian living.



## OUR MISSION

To deliver exceptional fenestration solutions that prioritise quality, durability, aesthetics, and service by building a process-driven and customer-centric organisation powered by technical expertise

## OUR VISION

To be the leading provider of innovative, tailored, and comprehensive fenestration solutions that transform spaces and elevate the quality of life



## OUR INVESTORS / BELIEVERS



# Engineered for India Using Global Expertise

IndiFrame brings together expertise from across markets to build systems that work for Indian homes. Our leadership and technical partners give us a strong foundation of knowledge, precision, and process discipline. This combination enables us to deliver consistent quality, reliable performance, and solutions that stand steady over time.

Designed in India. Validated with global engineering insight. Built to last.

Together, we move forward with one focus: windows and doors that feel right, function well, and remain dependable for years.

## INDIA

**TITAN**  
CAPITAL



Kunal Bahl  
Rohit Bansal



Varun Alagh



Consortium of Mumbai  
Based Construction  
Companies

## GERMANY

**FOUNDAMENTAL**

## JAPAN



Partners  
Fund

## SINGAPORE

**INCUBATEFUND**

## The IndiFrame Advantage

**25,000 sq. ft.  
Centre of Excellence  
in Hyderabad**

A large industrial facility with workers and machinery. In the foreground, several workers in yellow shirts are operating large industrial presses or machinery. In the background, there are tall stacks of white panels, possibly drywall, and more workers. The overall scene is a busy manufacturing or assembly plant.

Monthly capacity of 80,000 sq. ft,  
Scalable to 100,000 sq. ft

# Harmonising Homes and Habits

IndiFrame is built on a simple belief: when windows and doors are made well, homes feel better every day. We bring together global experience and disciplined engineering to create systems that work reliably for real Indian living. Our focus is clarity, consistency, and solutions that last, without compromising on quality, comfort, or design.

## Manufacturing

Precision at scale, built for real living



ISO-Certified Global  
Manufacturing



100,000+ MT Profile  
Capacity



25,000 sq. ft. Centre of  
Excellence (Hyderabad)



Precision Cuts. Strong  
Welds. Uniform Finish



Residential & Institutional  
Projects



Repeatable Quality.



5+ Surface Finishes



India & Overseas  
Manufacturing

Complementing this, our dedicated 25,000 sq. ft. Centre of Excellence in Hyderabad fabricates finished uPVC windows and doors. Equipped with advanced Turkish CNC machinery, this facility delivers precise cuts, strong welds, and uniform finishing. With a monthly capacity of 80,000 sq. ft., scalable to 100,000 sq. ft., it supports both residential projects and large-scale institutional developments with dependable speed and control. Our production environments are designed around efficiency, readiness, and repeatability, so customers receive the same consistent quality, order after order.

## Integrated Supply Chain & Control

One Brand. One Responsibility. Zero Gaps.

IndiFrame takes full ownership of every step: from profile manufacturing to final installation. This eliminates fragmentation and reduces the common risks associated with multi-vendor models, and helps manage the supply chain end-to-end, giving customers one point of responsibility for quality, timelines, and service

## Quality Assurance & Standards

Built to Perform. Tested to Endure

IndiFrame follows a rigorous 30+ checkpoint quality process before any order is dispatched. Our profiles and finished systems are tested at government-certified CIPET laboratories and conform to:



BIS STANDARDS



EN ISO and ASTM  
international standards



RERA-aligned 5-year warranty  
for manufacturing defects

Each apartment or home receives an individual warranty card, enabling end customers to contact IndiFrame directly, reducing post-handover burden on developers.

## Digital Control from Estimation to Installation

Through our integrated Twin-Tech system (OpsGate + PartnerGate), every project milestone—estimation, surveys, design approval, production, dispatch, installation, and service—is tracked on a single dashboard. This visibility empowers developers, architects, and homeowners with clarity and predictable execution.





**3.31L SQ FT**

Covered



**150**

Locations Served



**5213**

Projects Delivered



**ISO 9001: 2003**


Certified




# IndiFrame's Premier Product Lines

TAILORED, CRAFTED AND ENGINEERED FOR INDIA

## Designs That Make a Statement




CASEMENT



SLIDING



FIXED




TILT &amp; TURN




VILLA WINDOW



SLIDE &amp; FOLD




LIFT &amp; SLIDE




ARCH




COMBINATION




BAY &amp; BOW




DOUBLE HUNG




SINGLE HUNG



VERTICAL SLIDER



GLASS-TO-GLASS



GRILL OPTIONS



## Wide Variety to Meet Budget and Performance Criteria




60 SERIES  
CASEMENT SYSTEM




MONORAIL  
SYSTEM



62 SERIES  
SLIDING SYSTEM



80 SERIES  
SLIDING SYSTEM




90 SERIES  
SLIDING SYSTEM



99 SERIES  
SLIDING SYSTEM



112 SERIES  
SLIDING SYSTEM




GRILL  
SYSTEM

## A Spectrum of Colour Options for Your Vivid Vision.


### Solid Colours



Milk White



Grey



Black

### Laminate



Golden Oak



Walnut



Dark Oak



Grey Laminate



Red Oak



Black Laminate



# 60 Series Casement System



## Where precision brings peace of mind

Built with smooth, clean lines, this series of windows is perfect for ample ventilation and clear outdoor views. Whether your home is traditional or modern, these windows fit in without compromising on what matters: everyday function and long-lasting durability. Every detail is engineered to bring order, comfort, and confidence to your spaces.

### Choose from

- Single-open
- Double-open
- Fixed windows
- Grills for a refined finish (optional)

### Why proud homeowners choose this system

3 different sizes of outer frames to suit your requirements. Double locking mechanism in the beading for better security. Beading design for lower dust accumulation, with a 25% additional safety factor

- Capable of handling heights up to 8 Ft
- Compatible with all leading hardware
- Superior sealing properties with twin gasket mechanism
- Can be used with a multi-point locking system

### Perfect for everyday living

It is an ideal choice for bedrooms, living rooms, and kitchens – the spaces where comfort and reliability matter most.

### Maximum permissible height

8 Feet

### Average wall thickness


2.2mm, extendable up to 2.5mm

### Glazing Options


Double Glazing: 20mm +/- 0.5mm

Single Glazing: 4mm to 12mm


## 60 Series Casement System




Small Outer Frame  
(CW-GF-006)




Window Outer Frame  
(CW-GF-001)




Large Outer Frame  
(CW-GF-201)




Outward Window Sash  
(CW-GF-002)




Outward Door Sash  
(CW-GF-003)




Inward Window Sash  
(CW-GF-N101)




Inward Door Sash  
(CW-GF-046)




T-Mullion  
(CW-GF-004)




Lap Joint Outer Frame  
(CW-GF-047)




Mesh Sash  
(CW-GF-007)




Glazing Bead (4-6mm)  
(CW-GF-005N)





Glazing Bead (8mm)  
(SCW-GF-016)



Glazing Bead (12mm)  
(SCW-GF-015)




Double Glazing Bead (20mm)  
(SW-GF-013N)



“

## CLARITY IN EVERY PANE.

Fresh Perspectives with the  
60 Series Casement System



# Monorail System (Fixed + Sliding)



## The blend of minimal design and practical clarity

Get a clean, streamlined look with flexible configurations to suit compact or expansive spaces. Designed for uninterrupted views and smooth functionality, it works seamlessly in areas where airflow needs are limited, but clarity, ease, and reliability still matter. Every component is engineered to keep your spaces secure, quiet, and comfortable.

### Choose from

- One side fixed
- Two sides fixed
- Sliding window option
- Add-on track for extended width
- Optional grills for added safety

## Why homeowners choose the Monorail System

- Highly cost-efficient solution for openings with limited ventilation needs
- Integrated interlock for improved air-tightness
- Double-locking mechanism in beading for enhanced security
- Smooth operation suited to compact or wide horizontal spans
- Clean design that integrates naturally into modern spaces

## Perfect for everyday practicality

Ideal for patios, porches, balconies, corridors, and other tight walkways. Also suited for large horizontal openings in contemporary homes and commercial spaces, without the additional cost of a dedicated mosquito screen track.

## Maximum Permissible Height

8 Feet


## Average wall thickness

2.2mm


## Glazing Options

4mm to 15mm (+/- 0.5mm)


## Monorail System (Fixed + Sliding Window)




**Casement/Sliding Outer Frame  
(CW-GF-036)**




**Sliding Window Sash  
(SW-GF-011)**




**Casement/Sliding Mullion  
(CW-GF-037)**





**Sliding Window Interlock  
(SW-GF-014)**



**Sliding Glazing Bead (4-6mm)  
(SW-GF-013N)**



**Fixed Glazing Bead (4-6mm)  
(SW-GF-028)**



“

**SEE MORE,  
LIVE MORE.**

Blend Boundaries with the  
Monorail System.

# 62/90/112 Series Sliding System



## Smooth-moving, modern living

25

This series is built for spaces that demand clarity, ease, and efficiency. With clean lines, effortless operation, and a range of configurations, these systems maximise natural light while saving space. Designed to blend into modern architecture, every variant delivers everyday comfort, consistent performance, and long-lasting reliability.

### Choose from

- 2-panel, 3-panel, and 4-panel sliding options
- Single-hung and double-hung configurations
- Mesh or grill options
- Low-threshold option for seamless movement
- Multiple series sizes (62/90/ 112) for project-specific needs

### Why homeowners choose the 62/90/112 Series Sliding System

- Available in three size variations to suit different opening widths
- Double-locking mechanism in beading for improved security
- Beading design is 25% stronger and reduces dust accumulation
- Compatible with all leading hardware systems
- Smooth and space-efficient solution for wide openings
- Strong sealing performance for comfortable interiors

### Perfect for everyday living

Ideal for patios, balconies, porches, and long horizontal spans. Well-suited for contemporary homes and commercial spaces that require large glass panels without the added cost of a dedicated mosquito screen track.

### Maximum Permissible Height

62 Series - 8 Feet | 90 Series - 8 Feet | 112 Series - 8 Feet

### Average Wall Thickness


2.2mm, extendable up to 2.5mm

### Glazing Options


Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm


## 62/90/112 Series Sliding System




Sliding 2 Track Frame  
(SW-GF-022)




Sliding 2.5 Track Frame  
with Mesh Rail (SW-GF-020)




Sliding 3 Track Frame  
(SW-GF-021)




Sliding Window Sash  
(SW-GF-023)




Sliding Door Sash  
(SW-GF-031)




Sliding Mega Door  
Sash (SD-GF-001)




Sliding Window Mesh  
Sash (SW-GF-012)




Sliding Door Mesh Sash  
(SD-GF-002)




Sliding Sash Mullion  
(SW-GF-030)




Sash Connector  
(SW-GF-029)




Sliding Window Interlock  
(SW-GF-025)




Screen Sash Mullion  
(SW-GF-017)




Screen Sash Interlock  
(SW-GF-018)




Sliding Door Interlock  
(SW-GF-026)




Glazing Bead (4-6mm)  
(SW-GF-027N)




Glazing Bead (10mm)  
(SW-GF-013N)




Double Glazing  
Bead (20mm)  
(SW-GF-028)




**62 Series  
Sliding System**




**90 Series  
Sliding System**




**112 Series  
Sliding System**



**62 Series Sliding System**



**90 Series Sliding System**



**112 Series Sliding System**

“  
**SMOOTH,  
SECURE,  
STUNNING.**

# 80/99 Series Sliding System



## Compact spaces with effortless clarity

The 80/99 Series Sliding System is built for small to medium openings, offering generous views within a clean, minimalist design. With flexible sash sizes, secure locking, and smooth operation, this system makes the most of limited space, bringing light, comfort, and practicality to bedrooms, living areas, and compact architectural layouts.

### Choose from

- 2-panel and 3-panel options
- Bay and bow window configurations
- Lower-threshold designs for broader glass area
- Compatible add-ons across the sliding series
- Optional mesh or grill integrations

### Why homeowners choose the 80/99 Series Sliding System

- Two sash size options to suit varied opening requirements
- Lower threshold enables larger glass surfaces in smaller spaces
- Similar aesthetic language as the 62/90/112 series
- Compatible with all leading hardware systems
- Double-locking beading for improved security
- Curved beading design is 25% stronger and reduces dust buildup
- Smooth, space-efficient operation ideal for compact rooms

### Perfect for everyday living

A smart fit for medium-sized openings in bedrooms, living rooms, patios, porches, corridors, and budget homes. Suitable for commercial spaces that require clean sightlines and wide glass panels, without the added cost of a dedicated mosquito screen track.

### Maximum Permissible Height

80 Series: 7 Feet 99 Series: 7 Feet


### Average Wall Thickness

2.0mm to 2.2mm, extendable to 2.5mm


### Glazing Options

Single Glazing: 4mm to 15mm (+/- 0.5mm)


## 80/99 Series Sliding System




Sliding 2.5 Track Frame  
(SW-GF-010N)




Sliding 3 Track Frame  
(SW-GF-032)




Sliding Window Sash  
(SW-GF-011)




Sliding Door Sash  
(SW-GF-033)




Sliding Window Mesh Sash  
(SW-GF-012)




Sliding Door Mesh Sash  
(SD-GF-002)




Sash Mullion  
(SW-GF-016)




Screen Sash Mullion  
(SW-GF-017)




Screen Sash Interlock  
(SW-GF-018)




Sash Connector  
(SW-GF-015)




Sliding Window  
Interlock (SW-GF-014)




Sliding Door Interlock  
(SD-GF-050)




Glazing Bead (4-6mm)  
(SW-GF-013N)




**80 Series**  
Sliding System



**99 Series**  
Sliding System



80 Series Sliding System




99 Series Sliding System

**EFFORTLESS,  
SAFE, ELEGANT.**

Designs that maximise space with sophistication.  
The 80/99 Series Sliding System

# Slide and Fold System





## Spaces that open up beautifully

33

Here is a series for homes that want flexibility, openness, and smooth movement in one elegant solution. With panels that glide and fold effortlessly, this system allows you to open up your living spaces to the outdoors and create a seamless indoor-outdoor connection. Whether compact or expansive, the system brings in more light, airflow, and room to live.

### Choose from

- 2-panel fold
- 3-panel fold
- 4-panel fold
- Configurations adaptable to wide or compact openings
- Compatible across leading hardware options

### Why homeowners choose the Slide & Fold System

- Available in multiple folding configurations to suit different spaces
- Designed for smooth, easy movement with minimal effort
- Double-locking beading for enhanced security
- Curved beading design is 25% stronger and reduces dust accumulation
- Compatible with a wide range of hardware systems
- Creates wide, unobstructed openings for ventilation and flow
- Ideal for connecting indoor living with outdoor areas

### Perfect for everyday living

Ideal for villas, high-rise balconies, patios, gardens, entertainment spaces, and large openings where versatility and openness matter. A great fit for homes that want to extend living areas and create a sense of spaciousness without compromising on comfort or protection from the elements.

### System

60 Series Casement System

### Maximum Permissible Height

8 Feet

### Average wall thickness


2.2mm, extendable up to 2.5mm

### Glazing Options

Single Glazing: 4mm to 12mm

Double Glazing: 20mm (+/-0.5mm)

# Tilt and Turn System



## Ventilation and versatility

Two functions in one smart design-tilting inward at the top for controlled ventilation or opening fully inward like a casement window. Clean, modern, and easy to maintain, this series brings flexibility to compact spaces and delivers reliable performance in areas where outward openings are not feasible.

### Choose from

- Tilt-only mode for gentle, controlled airflow
- Full inward casement opening for maximum ventilation
- Multi-locking options for enhanced security
- Compatible with mesh or grill configurations
- Easy-clean inward opening

### Why homeowners choose the Tilt & Turn System

- Dual-function design: tilt for ventilation or turn for full access
- Multi-locking mechanism for added safety
- Strong sealing for reduced drafts and better energy efficiency
- Inward opening makes cleaning simple and convenient
- Reliable performance in limited exterior spaces
- Ideal for high-rise applications where outward openings are restricted

### Perfect for everyday living

Ideal for bedrooms, compact rooms, city apartments, and places where safe, controlled ventilation is needed. A smart choice for bathrooms to maintain freshness and prevent moisture buildup. Perfect for high-rise buildings where outward-opening windows are not practical.

### System

60 Series Casement System

### Average wall thickness

2.2mm, extendable up to 2.5mm

### Glazing Options


Single Glazing: 4mm to 12mm

Double Glazing: 20mm (+/-0.5mm)


# Auxiliary Profiles




Door Panel 1  
(SCW-GF-017) (15mm)



Door Panel 2  
(SCW-GF-014) (20mm)




Louver Blade  
(SCW-GF-011)




Georgian Bar  
(SCW-GF-013)




60 Coupler  
(SCW-GF-008)




80-60 Coupler  
(SCW-GF-007)




60 Tube Adopter  
(SCW-GF-N101)




60 Any Angle Bay  
Corner Adopter  
(SCW-GF-N102)




Sliding Screen Sash  
Frame (SW-GF-035)




Add On Track  
(SW-GF-048)




60 Round Pipe  
(SCW-GF-N103)




Switch Frame  
(SCW-GF-N104)




Universal Cornice  
(SCW-GF-N106)




Door Sash Cover  
(SCW-GF-N108)




Universal Corner  
(SCW-GF-N105)




Louver Shutter Bead  
(SCW-GF-012)




88-60 Coupler  
(SCW-GF-006)




112-60 Coupler  
(SCW-GF-N107)



Low Threshold Aluminium  
(SCW-GF-N109)



60 Baypole  
(CW-GF-010)



90 Baypole  
(SCW-GF-009)

# Options & Add-Ons

Built to fit your home – and how you live in it.

## Glazing Options

### Glass that brings clarity, comfort, and control

IndiFrame windows are available with glazing options that support your needs – light, safety, heat, privacy, and everyday comfort.

#### Choose from

- Clear Glass: 5mm - 32mm
- Laminated Glass: 11.5 mm (2 layer), 18 mm (3 layer)
- DGU (Double Glazed Units): for stronger comfort and insulation

#### Finish options

- Reflective: reflective outside, clear inside
- Frosted: for privacy
- Customisation: available based on order size and requirement

#### Trusted glass partners

We work with India's leading glass manufacturers including Saint-Gobain, AIS, Gold Plus, and Gujarat Guardian. Glass is sourced/processed through BIS-certified facilities for dependable quality.




## Hardware


### Hardware chosen to stay smooth, steady, and reliable

Our technical team carefully selects hardware from leading brands—so windows and doors operate smoothly and hold up well in Indian conditions.

#### What this means for you

- Reliable movement, everyday ease
- Better long-term durability
- Fewer avoidable service issues over time





# Door Fill Options

## A cleaner look. Better privacy

For doors and select enclosures, we offer infill options based on the finish and privacy you want.

### Choose from

- PVC Boards
- uPVC Door Panels

*(Availability depends on the selected system and application.)*

# Add-Ons

## Protection that fits your home's needs

### A) Mesh Options

Mosquito Mesh (for sliding systems)

Available for 2.5-track and 3-track sliding windows.

Pleated Mesh (for windows and doors)

Suitable for most window and door types. Pleated mesh comes on an additional aluminium frame.

### B) Security & Grills

#### Integrated Grill Systems

A clean solution where the grill is built into the uPVC outer frame—locked-in for added security.

#### External Security Grills

Grills fixed to the aperture. Finished with powder coating (65 microns) in customisable colours.

#### Sandwich Grills

Grill integrated between the glass for a clean, easy-to-maintain look.

#### In-built Georgian Bars

Optional in-built aluminium Georgian bars for a refined, classic finish.

# Exclusive Range of uPVC Doors and Windows

## Engineered to Last

Precision-built for durability.

## Optimised Design

Consistent load-bearing performance.

## Cost-Effective & Controlled

Consistent load-bearing performance.

## Ready for Indian Conditions

Performs in heat, rain, dust, and noise.

## Advanced Materials

Modern processes. Reliable results.

## Strong & Stable

Consistent load-bearing performance.

## Peace of mind, built in.

Every IndiFrame system is backed by a clear warranty—so you can choose with confidence and live worry-free.



**Operational Warranty**  
on windows and hardware



**Profile Warranty\***

### 7 years Profile Warranty\*

\*Solid Grey and Solid Black profiles



Lead Free



Fire Resistant



Termite Proof



Eco Friendly



Weather Resistant



Prevents Rainwater Seepage



Noise Control



Energy Saving



UV Protection



Low Maintenance



Prevents Dust Buildup



Pollution Resistant



**THE ECONOMIC TIMES | tech**  
English Edition • Today's ePaper

Home ETPrime Markets Market Data Masterclass IPO News Industry SME Politics Wealth MF Tech AI Careers Opinion NRI P...  
Business News • Tech • Funding • Window and door maker GreenFortune raises \$4.5 million in round led by Germany-based fund Foundamental

ET Editorial Just In Jest  
ET Commentary Speaking Tree  
ET View Bliss Of Everyday Life

Window and door m... \$4.5 million in round led by Germany-based fund Foundamental

By Jessica Rajan, ETech • Last Updated: Mar 26, 2025, 06:00:00 AM IST

Preferred on Google Follow Us Share Font Size Save

**Synopsis**  
Titan Capital Winners Fund and existing investor Incubate Fund Asia participated in the round. The funds will be used to support expansion, raise production, build its tech platform PartnerGate into a full-stack solution, and invest in R&D.

NEWS & ANALYSIS INTERVIEWS EXPERT OPINION CASE STUDIES SPECIALS CXO BYTES NEWS

Home > Story > Trailblazers: 5 Women Entrepreneurs at the Helm of Game-Changing Indian Startups (Mar 12, 2024 at 1:58 pm)

STORY

## Trailblazers: 5 Women Entrepreneurs at the Helm of Game-Changing Indian Startups

CXOtoday News Desk 2 years ago

### 1. Nykaa: Revolutionizing Beauty and Wellness

Founded by Falguni Nayar in 2012, Nykaa has become a household name in India's beauty and wellness industry. Offering a wide range of cosmetics, skincare, haircare, and wellness products online, Nykaa has disrupted the traditional beauty retail sector. With its innovative marketing strategies and emphasis on customer experience, Nykaa has grown rapidly and gained immense popularity among Indian consumers.

### 2. GreenFortune: Pioneering Sustainability in the construction and architecture Industry

Co-founded by Pratyusha Kosaraju, along with her husband Dilip Kumar, GreenFortune is carving a niche in the joinery and facade industry by prioritizing sustainability and innovation. The company aims to establish a high-recall brand known for its commitment to quality, service, dependability, and transparency. With a strong focus on sustainability, GreenFortune is leading the charge towards a greener future in construction and architecture with investors like Incubate Fund Asia.

## GreenFortune raises \$4.5 million funding for national expansion

GreenFortune, a windows and doors start-up, closed its \$4.5 million funding round, led by Foundamental, with participation from Titan Capital Winners Fund, existing investors Incubate Fund Asia, and others. The capital will be used to fuel national-level expansion. GreenFortune, founded in May 2022 is on a mission to revolutionise India's fenestrations industry by making premium-quality products affordable and accessible.

**GREENFORTUNE ADDS \$4.5 M TO ITS KITTY**

**STARTUP STREET**  
motilal oswal

**CNCTV18.COM**

News and Trends

## GreenFortune Secures \$4.5M Funding to Expand Nationwide and Enhance Tech Platform

The fresh capital, approximately INR 39 crore, will drive the company's ambitious plans for national expansion, a sixfold increase in volume, and the development of its proprietary PartnerGate platform into a full-stack solution to enhance customer service.

BY ENTREPRENEUR STAFF MAR 26, 2025

Share

You're reading Entrepreneur India, an international franchise of Entrepreneur Media.

**Leading upVC Brand**  
Windows, Doors, Profiles, Glass, Reinforcement, & Hardware

**WHY CHOOSE US**

- 5 YEARS OPERATIONAL WARRANTY
- 1 YEAR FREE SERVICE

**OUR STORY IN NUMBERS**


# TOTAL SQ. FT. COMPLETED X 100000	80
# NO. OF LOCATIONS SERVED	91
# NO. OF PROJECTS COMPLETED	63

**COLOURS**

- White
- Black
- Golden Oak
- Dark Oak

**H**yderabad-based fenestration brand GreenFortune has successfully closed a \$4.5 million funding round, led by Foundamental with participation from Titan Capital Winners Fund, Incubate Fund Asia, and other existing investors. The fresh capital, approximately INR 39 crore, will drive the company's ambitious plans for national expansion, a sixfold increase in volume, and the development of its proprietary PartnerGate platform into a full-stack solution to enhance customer service.

# Where Quality Speaks for Itself



Test Name	Standard	Unit	Test Value Obtained
Density	ASTM D 792	g/cc	1.49
Flammability (Vertical burning) at 2.2mm thickness	UL-94		V-0
Limiting Oxygen Index	ASTM D 2863	%	42.6
Vicat Softening Point at 5Kg Load	ASTM D 1525	°C	82.1
Thermal Conductivity at 55°C Mean Temperature	ASTM D 1530	W/mk	0.242
Co-efficient of Linear Thermal Expansion (30°C to 60°C)	ASTM E 228	/°C	4.95 X 10-5
Tensile Strength	ASTM D 638	MPA	27.1
Elongation at break	ASTM D 638	%	50.0
Charpy Impact Strength (Notched)	ASTM D 6110	kJ/m2	47.87
Flexural Modulus	ASTM D 790	N/mm2	2762
Flexural Strength	ASTM D 790	N/mm2	47.62

# Building Better For (Clientele)

45



OM SREE  
BUILDERS & DEVELOPERS LLP  
Experience Happiness

KAVURI  
HILLS  
FEEL AT HOME



watan  
DEVELOPERS



## Developers / Builders



CASAGRAND  
building aspirations

MAYURI  
• PRIME HOMES PVT.LTD.

SURESH  
DEVELOPERS AND BUILDERS  
HYDERABAD

ANJANA  
DREAM PROPERTIES PVT.LTD  
ANJANA

K  
M  
V  
Projects Ltd.®



SAMARPAN®  
HOMES & DEVELOPERS

Sterling Homes THE  
MIDTOWN  
NALLASOPARA - W

Modi  
Builders

## Institutional/Offices/ Hospitals

AUROBINDO  
Committed to healthier life!



Raghava  
life sciences

DifGen™

Urex  
LABORATORIES

Heritage  
HEALTH AND HAPPINESS



CHERMAS®

## Institutional/School/ Colleges



THE PREMIA ACADEMY  
Integrity Above All



AVINASH  
COLLEGE OF COMMERCE

Sri Chaitanya  
Educational institutions  
శ్రీ చాట్యాన్యా ఎడ్యుకేషన్స్

## Government



Andhra Pradesh  
Panchayat Raj & Rural  
Development Department



and many more...



Note: Includes projects executed by our partner fabricators.

# Experience IndiFrame.

## Get support where you are.

We serve homeowners across key regions, and take up large project orders pan-India.

### Where we operate

 **Telangana | Andhra Pradesh | Maharashtra | Karnataka**  
(Pan-India support for large project orders)

### IndiFrame Experience Centres

Visit us to explore products, finishes, and configurations in person

#### Mumbai:

2nd Floor, Auris Galleria,  
218, Malad West,  
Mumbai, Maharashtra  
400064

#### Hyderabad:

4th floor, Vilax Prime, 5-35,  
189-A, 100 Feet Rd, Prashanti  
Nagar, I.E, Kukatpally,  
Hyderabad, Telangana 500072

### On-ground IndiFrame Advisors



Our teams can support nearby towns and surrounding catchments:  
**Warangal | Karimnagar | Khammam | Pune | Nagpur**

### Reach us instantly

WhatsApp: +91 9959083498

Website: [www.indiframe.com](http://www.indiframe.com)



# Across India, Close to Home



## Dealer Network

For our growing  
dealer network



scan here



CONTACT US

INDIFRAME

+91 9959083498

[indiframe.com](http://indiframe.com)

[contact@indiframe.com](mailto:contact@indiframe.com)